EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	carlier-v$.in.	US-PGPUB; USPAT	OR	OFF	2007/06/06 13:03
S2	2	chabanne-h$.in.	US-PGPUB; USPAT	OR	OFF	2007/06/06 13:04
S3	1	dottax.in.	US-PGPUB; USPAT	OR	OFF	2007/06/06 13:04
S4	261	sagem.as.	US-PGPUB; USPAT	OR	OFF	2007/06/06 13:04
S5	10546	(protect$3 secur$3) with (crypto$7 encrypt$3) with (procedure algorithm step)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S6	4364	(protect$3 secur$3) with (crypto$7 encrypt$3) adj (procedure algorithm step)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S7	628	(protect$3 secur$3) near2 (crypto$7 encrypt$3) adj (algorithm)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S8	107	(protect$) near2 (crypto$7 encrypt$3) adj (algorithm)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S9	107	(protect$3) near2 (crypto$7 encrypt$3) adj (algorithm)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S10	77	(protect$3) near2 (crypto$7 encrypt$3) adj (algorithm) and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 13:59
S11	65	(compromis$3) with (crypto$7 encrypt$3) adj (algorithm) and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 13:15
S12	4	(("6934887") or ("6282290") or ("5991415") or ("6092229")).PN.	USPAT	OR	OFF	2007/06/06 13:57
S13	0	(delet$3 eras$3 destroy$3) near2 (crypto$7 encrypt$3) adj (algorithm) with compromis$3 and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:00
S14	0	(delet$3 eras$3 destroy$3) with (crypto$7 encrypt$3) adj (algorithm) with compromis$3 and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:01

S15	0	(delet$3 eras$3 destroy$3) with (crypto$7 encrypt$3) adj (algorithm formula) with compromis$3 and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:01
S16	2	(delet$3 eras$3 destroy$3) same (crypto$7 encrypt$3) adj (algorithm formula) with compromis$3 and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:02
S17	561690	(delet$3 eras$3 destroy$3) memory and (crypto$7 encrypt$3) adj (algorithm formula) with compromis$3 and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:02
S18	5	(delet$3 eras$3 destroy$3) with memory and (crypto$7 encrypt$3) adj (algorithm formula) with compromis$3 and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:12
S19	0	(delet$3 eras$3 destroy$3) with (DES AES 3DES crypto$7 encrypt$3) adj (algorithm formula) with compromis$3 and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:13
S20	61	(delet$3 eras$3 destroy$3) with (DES AES 3DES crypto$7 encrypt$3) adj (algorithm formula) and (@ad<"20031017" @prad<"20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:13
S21	1	("2004/0187035").URPN.	USPAT	OR	OFF	2007/06/06 14:28
S22	3	(("6374354") or ("6925562") or ("7124170")).PN.	USPAT	OR	OFF	2007/06/06 14:30
S23	11190	(ECM EMM)	US-PGPUB; USPAT	OR	OFF	2007/06/06 16:46
S24	74	(ECM EMM).ti.	US-PGPUB; USPAT	OR	OFF	2007/06/06 16:47
S25	402	entitlement near control near message	US-PGPUB; USPAT	OR	OFF	2007/06/06 16:47
S26	24	(entitlement near control near message).ab.	US-PGPUB; USPAT	OR	OFF	2007/06/06 16:47
S27	8	(split$4 divid$3 half halving separat$4) with (encrypt$3 cryptograph$2) near (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:03

S28	9	(split$4 divid$3 half halving separa$4) with (encrypt$3 cryptograph$2) near (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:14
S29	2	(encrypt$3 cryptograph$2) near (method algorithm procedure formula process) with (two multiple) adj polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:09
S30	3	(encrypt$3 cryptograph$2) near (method algorithm procedure formula process) with combin$3 with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:09
S31	3	(encrypt$3 cryptograph$2) near (method algorithm procedure formula process) with combin$4 with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:10
S32	7	(transfer$4 send$3 transmit$4) with (encrypt$3 cryptograph$2) near (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:10
S33	83	(split$4 divid$3 half halving separa$4) with (encrypt$3 cryptograph$2) near (method algorithm procedure formula process) with (transfer$4 send$3 transmit$4)	US-PGPUB; USPAT	OR	ON	2008/01/02 17:20
S34	0	(split$4 divid$3 half halving separa$4) with (encrypt$3 cryptograph$2) near (method algorithm procedure formula process) with (transfer$4 send$3 transmit$4) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:21
S35	1167	(protect$3 secur$3) with (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) with (transfer$4 send$3 transmit$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:26
S36	765	(split$4 divid$3 half halving separa$4) with (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:25
S37	1	S35 and S36	US-PGPUB; USPAT	OR	ON	2008/01/02 17:21
S38	3099	(split$4 divid$3 half halving separa$4) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:26
S39	2292	(split$4 divid$3 half halving separa$4) near6 polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:26

EAST Search History

S40	1	S35 and S39	US-PGPUB; USPAT	OR	ON	2008/01/02 17:27
S41	2	S35 and S38	US-PGPUB; USPAT	OR	ON	2008/01/02 17:27
S42	1	S35 and S38 not S40	US-PGPUB; USPAT	OR	ON	2008/01/02 17:27
S43	18	(protect$3 secur$3) with (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) with (transfer$4 send$3 transmit$4) with (split$4 divid$3 half halving separa$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:32
S44	5	(install$5 enabl$5 embed$4 deriv$5) with (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/03 10:44
S45	70	(encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/03 10:44
S46	65	(encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) with polynomial not S44	US-PGPUB; USPAT	OR	ON	2008/01/03 10:46
S47	3803	(transfer$4 send$3 transmit$3) with (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:46
S48	196	(transfer$4 send$3 transmit$3) adj2 (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:46
S49	0	(transfer$4 send$3 transmit$3) adj2 (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) same (polynomial$2 algebraic$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:47
S50	5	(transfer$4 send$3 transmit$3) adj2 (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) and(polynomial$2 algebraic$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:50
S51	5	(transfer$4 send$3 transmit$3) adj2 (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) and (polynomial$2 algebraic$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:47

EAST Search History

S52	2666062	(transfer$4 send$3 transmit$3) ad5 (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) and(polynomial$2 algebraic$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:50
S53	73	(transfer$4 send$3 transmit$3) adj5 (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) and(polynomial$2 algebraic$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:52
S54	0	(transfer$4 send$3 transmit$3) adj5 (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) same (polynomial$2 algebraic$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:51
S55	4	(distribut$3) adj5 (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) and(polynomial$2 algebraic$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:53
S56	20	(distribut$3) adj (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:53
S57	20	(distribut$3) adj (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) not S55	US-PGPUB; USPAT	OR	ON	2008/01/03 10:59
S58	0	("7110548").URPN.	USPAT	OR	OFF	2008/01/03 10:57
S59	24	("4982429" | "5103479" | "5155680" | "5185796" | "5222139" | "5355413" | "5509072" | "5594798" | "5657390" | "5679984" | "5689566" | "5781654" | "5812671" | "5857025" | "5898784" | "6058478" | "6076167" | "6181814" | "6182076" | "6230186" | "6230267" | "6590588" | "RE36946" | "RE38070").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 10:57
S60	40	(updat$3) adj (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) not S55	US-PGPUB; USPAT	OR	ON	2008/01/03 10:59
S61	36	(updat$3) adj (encrypt$3 cryptograph$2) adj (method algorithm procedure formula process) not S57	US-PGPUB; USPAT	OR	ON	2008/01/03 11:05
S62	20	turing adj comput$5	US-PGPUB; USPAT	OR	ON	2008/01/03 11:05

EAST Search History

S63	0	("7162032").URPN.	USPAT	OR	OFF	2008/01/03 11:16
S64	295	polynomial adj algorithm	US-PGPUB; USPAT	OR	ON	2008/01/03 11:16
S65	827	polynomial adj2 algorithm	US-PGPUB; USPAT	OR	ON	2008/01/03 11:16
S66	7	polynomial adj2 (encrypt$3 cryptograph$6) adj algorithm	US-PGPUB; USPAT	OR	ON	2008/01/03 11:39
S67	31	NTRU! near encrypt$3	US-PGPUB; USPAT	OR	ON	2008/01/03 11:39
S73	1	domain near (authenticat$3 authori$6 verif$7 valid$5) same group near key	US-PGPUB; USPAT	OR	ON	2008/01/03 14:13
S74	1754	domain near (authenticat$3 authori$6 verif$7 valid$5)	US-PGPUB; USPAT	OR	ON	2008/01/03 14:13
S75	134	domain near (authenticat$3 authori$6 verif$7 valid$5) with key	US-PGPUB; USPAT	OR	ON	2008/01/03 14:13
S76	81	domain adj (authenticat$3 authori$6 verif$7 valid$5) with key	US-PGPUB; USPAT	OR	ON	2008/01/03 14:13